70602

Wall-/Floor Washing Brush, 305 mm, Hard, Green





This Washing Brush is ideal for cleaning tiled floors in food preparation areas. Can be used with any Vikan handle.

Technical Data

Visible bristle length 46 mm Material Polypropylene Polyester Stainless Steel (AISI 304) Complies with (EC) 1935/2004 on food contact materials¹ Yes Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 16 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 512 Pcs Quantity Per Layer (Pallet) 64 Pcs. Box Length 610 mm Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,62 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 30 °C Max usage temperature (food contact) 6 °C Max usage tempera	Item Number	70602
Polyester Stainless Steel (AIS stainless Steel (A	Visible bristle length	46 mm
Produced according to EU Regulation 2023/2006/EC of Good Manufacturing Practice FDA compliant raw material (CFR 21) Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A Is Halal compliant Yes Box Quantity 16 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 512 Pcs Quantity Per Layer (Pallet) 64 Pcs. Box Length 610 mm Box Width 300 mm Box Height 1215 mm Length 305 mm Width 485 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) Max usage temperature (Dishwasher) Max usage temperature (non food contact) Min. usage temperature (non food contact) Max. pH-value in usage Concentration 10,5 pH Gtin-13 Number 5705020706025 Customs Tariff No.	Material	Polyester Stainless Steel (AISI
Manufacturing Practice Yes FDA compliant raw material (CFR 21) Yes Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 16 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 512 Pcs Quantity Per Layer (Pallet) 64 Pcs. Box Length 610 mm Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-	Complies with (EC) 1935/2004 on food contact materials ¹	Yes
Meets the REACH Regulation (EC) No. 1907/2006 Yes Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 16 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 512 Pcs Quantity Per Layer (Pallet) 64 Pcs. Box Length 610 mm Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No.		Yes
Use of phthalates and bisphenol A No Is Halal compliant Yes Box Quantity 16 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 512 Pcs Quantity Per Layer (Pallet) 64 Pcs. Box Length 610 mm Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,62 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	FDA compliant raw material (CFR 21)	Yes
Is Halal compliant Yes Box Quantity 16 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 512 Pcs Quantity Per Layer (Pallet) 64 Pcs. Box Length 610 mm Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Meets the REACH Regulation (EC) No. 1907/2006	Yes
Box Quantity 16 Pcs. Quantity per Pallet (80 x 120 x 200 cm) 512 Pcs Quantity Per Layer (Pallet) 64 Pcs. Box Length 610 mm Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,029 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Use of phthalates and bisphenol A	No
Quantity per Pallet (80 x 120 x 200 cm) 512 Pcs Quantity Per Layer (Pallet) 64 Pcs. Box Length 610 mm Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature* -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Is Halal compliant	Yes
Quantity Per Layer (Pallet) 64 Pcs. Box Length 610 mm Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperatures -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Box Quantity	16 Pcs.
Box Length 610 mm Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Min. usage temperature (non food contact) 100 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Quantity per Pallet (80 x 120 x 200 cm)	512 Pcs
Box Width 300 mm Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Quantity Per Layer (Pallet)	64 Pcs.
Box Height 215 mm Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Box Length	610 mm
Length 305 mm Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Box Width	300 mm
Width 85 mm Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Box Height	215 mm
Height 110 mm Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Length	305 mm
Gross Weight 0,62 kg Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Width	85 mm
Net Weight 0,59 kg Cubik metre 0,0029 M3 Recommended sterilisation temperature (Autoclave) 121 °C Max. cleaning temperature (Dishwasher) 93 °C Max usage temperature (food contact) 80 °C Max usage temperature (non food contact) 100 °C Min. usage temperature³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Height	110 mm
Cubik metre0,0029 M3Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020706028GTIN-14 Number (Box quantity)15705020706025Customs Tariff No.96039099	Gross Weight	0,62 kg
Recommended sterilisation temperature (Autoclave)121 °CMax. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020706028GTIN-14 Number (Box quantity)15705020706025Customs Tariff No.96039099	Net Weight	0,59 kg
Max. cleaning temperature (Dishwasher)93 °CMax usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020706028GTIN-14 Number (Box quantity)15705020706025Customs Tariff No.96039099	Cubik metre	0,0029 M3
Max usage temperature (food contact)80 °CMax usage temperature (non food contact)100 °CMin. usage temperature³-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020706028GTIN-14 Number (Box quantity)15705020706025Customs Tariff No.96039099	Recommended sterilisation temperature (Autoclave)	121 °C
Max usage temperature (non food contact)100 °CMin. usage temperature3-20 °CMin. pH-value in usage concentration2 pHMax. pH-value in Usage Concentration10,5 pHGtin-13 Number5705020706028GTIN-14 Number (Box quantity)15705020706025Customs Tariff No.96039099	Max. cleaning temperature (Dishwasher)	93 °C
Min. usage temperature ³ -20 °C Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Max usage temperature (food contact)	80 °C
Min. pH-value in usage concentration 2 pH Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Max usage temperature (non food contact)	100 °C
Max. pH-value in Usage Concentration 10,5 pH Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Min. usage temperature ³	-20 °C
Gtin-13 Number 5705020706028 GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Min. pH-value in usage concentration	2 pH
GTIN-14 Number (Box quantity) 15705020706025 Customs Tariff No. 96039099	Max. pH-value in Usage Concentration	10,5 pH
Customs Tariff No. 96039099	Gtin-13 Number	5705020706028
	GTIN-14 Number (Box quantity)	15705020706025
Country of origin Denmark	Customs Tariff No.	96039099
	Country of origin	Denmark

New equipment should be cleaned, disinfected, sterilised and any labels removed, as appropriate to its intended use, e.g. high risk vs. low risk food production areas, general hospital areas vs. intensive care

units, before use.

3. Do not store the product below 0° Celsius.