Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

1. Identification

Tradename: Compound

Application of the substance / the mixture Carpet cleaning product

Manufacturer /supplier: Carpet Cleaner Industries CCI GmbH

Zwanzigerstraße 23 9020 Klagenfurt AUSTRIA

Tel.: +43 463 515541 Fax: +43 463 515841

E-mail competent person: export@cciaustria.com

Information department: See manufacturer / supplier

Emergency telephone number: Poison control center Austria: 0043-1-4064343 (0-24 h)

Germany (emergency phone for poisoning, Berlin): 0049-

30-19240

2. Hazard(s) identification

2.1 Classification of the substance or mixture

Classification ac. To Regulation

(EC) No 1272/2008

The product is not classified according to the CLP regulation.

Classification ac. To

Directive 67/548/EEC or Directive

1999/45/EC

R52/53 Harmful to aquatic organisms, may cause long-term

effects in the aquatic environment.

Classification system The classification was made according to the latest editions of

the EC-lists and expanded using company data and

specialized literature.

2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 Void Hazard pictograms Void Signal word Void Hazard statements Void

Other notes Further labelling requirements of EC regulation 648/2004/EC

annex VII have to be observed.

Additional information Contains 2-octyl-2H-isothiazol-3-one. May produce an allergic

reaction. Safety data sheet available on request.

Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

2.3 Other hazards Results of PBT and vPvB assessment

PBT: Not applicable vPvB: Not applicable

3. Composition / information on ingredients

Chemical characterization Natural wood flour, moistened with water based

cleaning solution

Description Mixture of the substances listed below with non-

hazardous additions

Dangerous components

69227-22-1 Alcohols ethoxylated Acute Tox. 4, H 302; Eye < 1%

propoxylated Dam. 1, H 318

Xn R22; Xi R41, N R51/53

Tox.3, H331;

Skin. Corr. 1B, H314; Acute Tox. 4, H302; Skin Sens.

1, H317

T R23/24; C34; Xn R22; Xi R43; N R50/53

Regulation (EC) No 648/2004 on detergents/Labelling for contents:Anionic and non-ionic surfactants, perfumes, preservation agents (BENZISOTHIAZOLINONE,

METHYLISOTHIAZOLINONE, OCTYLISOTHIAZOLINONE)

Additional information For the wording of the listed risk phrases refer to

section 16.

4. First-aid measures

4.1 Description of first aid measures

General information: If symptoms persist or in case of doubt seek

medical advice.

After inhalation: Supply fresh air; consult doctor in case of

complaints. In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap

thoroughly. If symptoms persist, consult a doctor.

After eye contact: Rinse opened eye for several minutes under

running water. If symptoms persist, consult a

doctor.

After swallowing: Do not induce vomiting. Drink plenty of water,

but never give anything to an unconscious person. If symptoms persist consult a doctor.

< 5%

Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

4.2 Most important symptoms and effects,

both acute and delayed

Allergic reactions.

4.3 Indication of any immediate medical attention and special treatment needed

Symptomatic treatment (decontamination, vital

functions).

5. Fire-fighting measures

5.1 Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Use fire fighting measures that suit the

environment.

shing High volume water jet

For safety reasons unsuitable extinguishing agents

5.2 Special hazards arising from the substance or mixture:

In case of fire, the following can be released:

- Carbon monoxide and carbon dioxide
- Nitrogen oxides (NOx)
- Sulphur oxides (SOx)
- Hydrogen Chloride (HCI)
- Risk of formation of toxic pyrolyzates
- Fume

5.3 Advice for fire fighters Protective equipment:

Additional information:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device. Wear fully protective suit. Dispose of fire debris and contaminated fire fighting water in accordance with official regulations. Collect contaminated fire fighting water separately. It must not enter the sewage

system.

6. Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.3 Methods and material for containment

Wear protective clothing.

Avoid contact with eyes and skin. Do not breathe aerosol or vapors. Ensure adequate ventilation

Use respiratory protective device against the

effects of fumes/dust/aerosol.

6.2 Environmental precautions:Do not allow product to reach sewage system or

any water course.

Do not allow to penetrate the ground/soil. Sweep or vacuum up and dispose according to

regulations.

Send for recovery or disposal in suitable

receptacles.

6.4 Reference to other sections

and cleaning up:

See Section 7 for information on safe handling. See Section 8 for information on personal

protection equipment.

Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

See Section 13 for disposal information.

7. Handling and storage

7.1 Precautions for safe handling Ensure good ventilation / exhaustion at the

workplace.

Prevent formation of aerosols. Do not breathe aerosol or vapours. Avoid contact with eyes and skin.

Information about protection against

explosions and fires:

Keep ignition sources away – Do not smoke. Observe the general rules of industrial fire

protection.

7.2 Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and

receptacles:

Information about storage in one common

storage facility:

store receptacles tightly closed at a cool and dry

place with sufficient ventilation. Store away from foodstuffs. Store away from feed.

Protect from heat and direct sunlight.

Recommended storage temperature:

Storage time:

20°C

Under optimal storage conditions, in original unopened drums/containers. 12 month in closed

receptacles.

Storage class: 10-13 other combustible and non-combustible

substances

7.3 Specific end use(s): Follow the directions!

8. Exposure controls/personal protection

Additional information about design of

technical systems:

8.1 Control parameters Components with limit values that require

monitoring at the workplace:

Install appropriate mechanical ventilation/exhaustion.

No further data, see section 7.

The product does not contain any relevant quantities of materials with critical values that

have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were

used as basis.

8.2 Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling

chemicals should be followed.

Do not eat, drink, smoke or sniff while working.

Avoid contact with the eyes and skin. After skin contact, cleanse skin thoroughly. Use skin protection cream for skin protection. Wash hands before breaks and at the end of

work.

Immediately remove soiled, soaked clothing and

use again only after washing.

Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

Material of gloves

Breathing equipment: In case of unintentional release of substance,

> exceeding the occupational exposure limit value: Short term filter device (EN 149): Filter A/P2

Protection of hands: Chemical resistant gloves (EN 374)

> The gloves material has to be impermeable and resistant to the product / the substance / the

preparation.

Due to missing tests no recommendation to the glove material can be given for the product / the preparation / the chemical mixture. Selection of the glove material on consideration of the penetration times, rates of diffusion and the

degradation.

After use of gloves apply skin-cleaning agents

and skin cosmetics. Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

Penetration time of glove material The exact break through time has to be found

out by the manufacturer of the protective gloves

and has to be observed.

Tightly sealed googles. Eye protection:

Body protection: Protective work clothing

9. Physical and chemical properties:

Information on basic physical and chemical properties

Form: Solid, pulpy Colour: yellow pH Value Approx. 5 - 6. Odor: characteristic **Density:** Not determined Flash point: Not applicable.. **Flammability** Not applicable

Danger of explosion Product does not present an explosion hazard.

Solubility in / miscibility with water Not applicable.

Solvent content

VOC content 22,7 g/L

Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

10. Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition/conditions to be

avoided

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid 10.5 Incompatible materials

10.6 Hazardous decomposition products

No further relevant information available.

No decomposition if used and stored according

to specifications.

No dangerous reactions known.

No further relevant information available. Strong oxidants, Reducing agents, Amines,

Strong leaches

No hazardous decomposition products if

instructions for storage and handling are

followed.

11. Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD/LC50 values that are relevant for

classification

26530-20-1 2-octyl-2H-isothiazol-3-one

ATE oral: > 5000 m/kg

Oral LD50 550mg/kg (rat)
Dermal LD 50 690 mg/kg (rabbit)

Inhalative LC50/4h 0,27 mg/l (rat)

Primary irritant effect

On the skin On the eye

Sensitization

No irritating effect. No irritating effect.

No sensitizing effects known.

Other information (about experimental

toxicology):

Carcinogenic, mutagenic effects and adverse

effects on reproduction:
Subacute to chronic toxicity
STOT – single exposure
STOT – repeated exposure

Additional toxicological information

Presently available data show no

carcinogenic, mutagenic or teratogenic effects.

No classification

Presently no toxicological, chemical and physical data are available on which a more precise evaluation of further dangerous properties could be made. The properties of this substance have not been fully investigated. Further hazardous properties cannot be excluded. When used and handled according to specifications, the product does not have any harmful effects according to or experience and the information provided to

us.

Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

12. Ecological information

12.1 Toxicity **Aquatic toxicity**

26530-20-1 2-octyl-2H-isothiazol-3-one

EC50 EC50/48 h (static) LC50/96 h (static)

0,031 mg/l (Algae) 0,18 mg/l (Daphnia magna) 0,196 mg/l (Lepomis macrochirus)

0,047 mg/l (Oncorhynchus mykiss)

12.2 Persistence and degradability 12.3 Bioaccumulative potential 12.4 Mobility in soil

Additional ecological information **General notes**

No further information available. No further information available.

No further relevant information available.

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. According to appendix 4 of VwVwS dated 27.7.2005 (German regulation) Water hazard class 1(German regulation) (Self-assessment): slightly

hazardous to water

12.5 Results of PBT and vPvB assessment

PBT vPvB

12.6 Other adverse effects

Not applicable. Not applicable.

No further relevant information available.

13. Disposal considerations

13.1 Waste treatment methods Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system. Disposal according to instructions of local authorities. Must be recycled or disposed of according to the regulations. Waste has to be classified according to the European Waste Catalogue based on the identification of the waste

generating source.

20 00 00 MUNICIPIAL WASTES (HOUSEHOLD European waste catalogue

WASTE AND SIMILAR COMMERCIAL,

INDUSTRIAL AND INSTITUTIONAL WASTES) INCLUDING SEPARATELY COLLECTED

FRACTIONS

20 03 00 other municipial wastes

20 03 99 municipial wastes not otherwise specified

Uncleaned packagings:

Recommendation: Disposal must be made according to official

regulations.

Recommended cleansing agent Water, if necessary with cleansing agents.

Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

14. Transport information

14.1 UN-Number Void

DOT, ADR, ADN, IMDG, IATA

14.2 UN proper shipping name Void DOT, ADR, ADN, IMDG, IATA

14.3 Transport hazard class(es) DOT, ADR, ADN, IMDG, IATA

Class Void

14.4 Packing group DOT, ADR, ADN, IMDG, IATA

14.5 Environmental hazards: Marine pollutant No

14.6 Special precautions for user Not applicable

14.7 Transport in bulk according to Annex II

of MARPOL73/78 and the IBC Code

Not applicable

Void

Transport/Additional information Not dangerous according to the above

regulations.

UN "Model Regulation"

15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Water hazard class Water hazard class 1(Self-assessment): slightly

hazardous to water

15.2 Chemical safety assessment A Chemical Safety Assessment has not been

carried out.

16. Other Information

Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Wording of the listed risk phrases:

H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Doo	Hamaful if accellanced
R22	Harmful if swallowed
R23/24	Toxic by inhalation and in contact with skin
R34	Causes burns.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long- term adverse effects in the aquatic environment.
R51/53	Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Réglement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations concerning the International Transport of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

Version: 1.0 Date of print: 26.01.2016

Date of preparation / last revision: 31.07.2014

Trade name: Compound

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent